

CERTIFICATE OF FIRST CLASS MAIL

I hereby certify that this correspondence is being deposited with the United States Postal Service as First Class Mail in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on 7/15/05

Brenda Matraji

Date: 7/15/05



PLEASE CHARGE ANY DEFICIENCIES UP TO \$300 OR CREDIT ANY EXCESS IN THE FEES DUE WITH THIS DOCUMENT TO YOUR DEPOSIT ACCOUNT No. 14-1263

CofC

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicants : Holker, et al.
Patent No. : 6,797,508 B1
Issued : September 28, 2004
Serial No. : 10/070,966
Filed : July 31, 2002
TC/A.U. : 1651
Examiner : Srivastava, Kailash C.
Docket No. : 100725-28
Customer No. : 27,384

**Certificate
JUL 22 2005
of Correction**

Attention: Certificate of Corrections Branch
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

REQUEST FOR CERTIFICATE UNDER RULE 322

In accordance with the provisions of Rule 322 of the Rules of Practice which implement 35 USC 254, the Patent and Trademark Office is respectfully requested to issue a Certificate of Correction in the above-identified patent to correct.

(1) mistake incurred through the fault of the Patent and Trademark Office in the printed patent document.

JUL 25 2005

The mistake is listed below with reference to its occurrence in the patent and corresponds to the attached Form PTO-1050:

(1) PTO's mistake:

Column 1, Line 12, "it Is required" should read -- it is required --

Column 1, Line 59, "used In any" should read -- used in any --

Column 3, Line 29, "shown In" should read -- shown in --

Column 6, Line 16, "can be Introduced" should read -- can be introduced --

Column 7, Line 52, "pressure Is applied" should read -- pressure is applied --

Column 10, Line 49, "volume: 12.5 l-)" should read -- volume: 12.5 l) --

Column 11, Line 50, "liquid substances" should read -- liquid substance --

Column 12, Line 27, "flowed trough" should read -- flowed through --


Column 12, Line 44-45, "solid sub" should read -- solid substrate --

REMARKS

Patentee submits that the mistake in the description occurred through fault of the Patent Office. Patentee requests a Certificate of Correction. Two copies of the Form PTO-1050 are enclosed.

Respectfully submitted,

NORRIS, MCLAUGHLIN & MARCUS, P.A.

By: 
David D. Kim
Reg. No. 53,123

Date: 15 July 2005

Norris, McLaughlin & Marcus, P.A.
875 Third Avenue – 18th Floor
New York, New York 10022
(212) 808-0700

UNITED STATES PATENT AND TRADEMARK OFFICE**CERTIFICATE OF CORRECTION**

PATENT NO. : US 6,797,508 B1

DATED : Sep. 28, 2004

INVENTOR(S) : Holker

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 1, Line 12, "it Is required" should read -- it is required --

Column 1, Line 59, "used In any" should read -- used in any --

Column 3, Line 29, "shown In" should read -- shown in --

Column 6, Line 16, "can be Introduced" should read -- can be introduced --

Column 7, Line 52, "pressure Is applied" should read -- pressure is applied --

Column 10, Line 49, "volume: 12.5 l-)" should read -- volume: 12.5 l) --

Column 11, Line 50, "liquid substances" should read -- liquid substance --

Column 12, Line 27, "flowed trough" should read -- flowed through --

Column 12, Line 44-45, "solid sub" should read -- solid substrate --

MAILING ADDRESS OF SENDER: **Norris McLaughlin & Marcus, PA**
875 Third Avenue, 18th Floor
New York, NY 10022

PATENT NO. US 6,797,508 B1No. of additional copies 0

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. **DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.**

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

JUL 25 2005

UNITED STATES PATENT AND TRADEMARK OFFICE**CERTIFICATE OF CORRECTION**

PATENT NO. : US 6,797,508 B1

DATED : Sep. 28, 2004

INVENTOR(S) : Holker

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 1, Line 12, "it Is required" should read -- it is required --

Column 1, Line 59, "used In any" should read -- used in any --

Column 3, Line 29, "shown In" should read -- shown in --

Column 6, Line 16, "can be Introduced" should read -- can be introduced --

Column 7, Line 52, "pressure Is applied" should read -- pressure is applied --

Column 10, Line 49, "volume: 12.5 1-)" should read -- volume: 12.5 l) --

Column 11, Line 50, "liquid substances" should read -- liquid substance --

Column 12, Line 27, "flowed trough" should read -- flowed through --

Column 12, Line 44-45, "solid sub" should read -- solid substrate --

MAILING ADDRESS OF SENDER: **Norris McLaughlin & Marcus, PA**
875 Third Avenue, 18th Floor
New York, NY 10022

PATENT NO. US 6,797,508 B1No. of additional copies 0

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. **SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.**

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

JUL 25 2005